

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

aSB249
.A3

AUG 18 2049

ENTERED IN THE COMPUTER

COTTON VARIETIES PLANTED

1956 - 1960

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton Division

MEMPHIS, TENNESSEE
AUGUST 1960

Cotton
Varieties Planted
1956-60

C O R R E C T I O N S

Estimates of the varieties of cotton planted in 1960 for Arizona, New Mexico and District 6 Texas are incorrect as published in the report "Cotton Varieties Planted, 1956-60". Corrected figures are shown below by specified table and page numbers. Please substitute these figures for those appearing in the report.

Table 1, Page 3

Variety and Year	State	
	Arizona	New Mexico
	<u>Percent</u>	<u>Percent</u>
Acala 1960	79	86
Deltapine 1960	17	-
Other 1960	4	10

Table 22, Page 23

District and State	Variety	
	Acala	American-Egyptian
	<u>Percent</u>	<u>Percent</u>
District 6 Texas	87	11

Table 23, Page 25

District and County	Variety			
	Acala 1517 B	Acala 1517 C	Pima S-1	Stoneville
	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
District 6				
El Paso		68	30	
Hudspeth		96	4	
Pecos				
Reeves	28	64	4	1
All Other				
Total	17	69	11	

Table 25, Page 26

State and Year	Variety			
	Acala 44	Acala 1517-C	Pima S-1	Other
	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
Arizona 1960	50		4	9
New Mexico 1960		78	3	
Texas-District 6 1960		69	11	18

Table 26, Page 27

States and Counties	Variety							
	Acala 4-42	Acala 44	Acala 1517 C	Acala 1517 BR	Delta- pine	Pima S-1	Stone- ville	Other
	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
Arizona								
Graham			62			38		
Maricopa		62			24	4		*
Pima			39			6		*
Pinal	26	46				2		*
Total		50			17	4		*
New Mexico								
Dona Ana			88	1		10		1
Total			78			3		
Texas								
District 6								
El Paso			68			30		
Hudspeth			96			4		
Reeves			64	28		4	1	
Total			69	17		11		

UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE

Cotton Division

COTTON VARIETIES PLANTED

1956-60

CONTENTS

	Table No.	Page No.
Introduction		1
Leading Varieties		1
United States Map		2
Varieties by States and United States	1	3
Varieties by States and Counties:		
Alabama		
Varieties by State	8	10
Varieties by Counties	9	11
Arizona		
Varieties by State	25	26
Varieties by Counties	26	27
Arkansas		
Varieties by State	16	16
Varieties by Counties	17	17
California		
Varieties by State	25	26
Varieties by Counties	26	27
Florida		
Varieties by State	24	26
Georgia		
Varieties by State	6	8
Varieties by Counties	7	9
Illinois		
Varieties by State	24	26
Kentucky		
Varieties by State	24	26
Louisiana		
Varieties by State	18	18
Varieties by Counties	19	19
Mississippi		
Varieties by State	10	12
Varieties by Counties	11	13
Missouri		
Varieties by State	14	15
Varieties by Counties	15	15
Nevada		
Varieties by State	25	26
New Mexico		
Varieties by State	25	26
Varieties by Counties	26	27
North Carolina		
Varieties by State	2	4
Varieties by Counties	3	5
Oklahoma		
Varieties by State	20	20
Varieties by Counties	21	21
South Carolina		
Varieties by State	4	6
Varieties by Counties	5	7
Tennessee		
Varieties by State	12	14
Varieties by Counties	13	15
Texas		
Varieties by State	22	22-23
Varieties by Counties	23	24-25
Texas-District 6		
Varieties by District	25	26
Varieties by Counties	26	27
Virginia		
Varieties by State	24	26

P. O. Box 8074, Crosstown Station

Memphis 4, Tennessee

August 1960

Cotton Varieties Planted, United States

1956-1960

Estimates of the percentages of the various varieties of cotton planted in the United States in 1960, by counties, districts, and states, are presented in this report. Comparative variety data for the four years 1956-59 are shown by districts and states. A preliminary report containing percentage distributions of cotton varieties planted by counties and districts in the early harvesting area of south Texas was published in early July.

The variety data presented herein are based principally on estimates furnished by cotton ginner for the territories served by their gins. Supplemental information is obtained from others closely associated with cotton culture in their respective areas, such as seed breeders and dealers, and county agents.

These estimates indicate that Deltapine and Acala remain the two leading general varieties of cotton in the United States. Deltapine regains first position with 24 percent of the total acreage against 21 percent last year. Acala is second this year with 21 percent of the total against 24 percent a year earlier. The variety "Deltapine" as used in this discussion includes DPL Smooth Leaf which appears to be gaining in popularity, accounting for about 6 percent of the total acreage this year. The next two principal varieties are Lankart and Coker accounting for 12 and 8 percent of the total acreage, respectively. A percentage distribution of the ten leading general varieties in 1960 with comparisons for four previous years is shown at the foot of this page. A newcomer to this list is "Rex" which displaces "Fox" as one of this year's leading varieties.

The 1960 crop got off to a rather slow start. In most of the eastern half of the belt, cool rainy weather during May necessitated the replanting of a fairly large acreage one or more times. In the southwestern area, frost in February killed early planted cotton in the lower Rio Grande Valley, and heavy rains in June washed out considerable acreage particularly in west Texas. Planting was retarded somewhat in the far western area but replanting was limited in that area. The completion of the survey from which the variety estimates were compiled was delayed as resurveying was necessary in areas where heavy replanting occurred subsequent to the original survey.

Coker continues to be the leading variety planted in the southeastern area; Deltapine is the principal variety in the south central area; Lankart is the leader in the southwestern area; and Acala accounts for the bulk of the acreage in the far western area.

In the southeastern area, Coker represents well over half of the total acreage planted to cotton this year. The proportion of this variety planted, however, decreased in all states in the southeastern area from a year earlier. The second leading variety in the southeastern area is Empire. Deltapine continues to be the principal variety in the south central area. Rex moves into second place in the area with about a fourth of the Arkansas acreage planted to this variety. Delfos is third in importance and Stoneville is fourth. In the southwestern area, Lankart continues in first place with over a third of the cotton acreage. Other leading varieties in the southwestern area are Deltapine, Acala, Western Stormproof and Gregg. Acala continues to predominate in the far western area. Acreage planted to Deltapine, however, increased rather sharply in Arizona this year with about 15 percent of the Arizona acreage in this variety compared with less than one percent last year. Pima S-1 is the principal American-Egyptian variety with practically all of the extra long staple acreage planted in this variety.

The variety data presented in this report are estimates which should serve as reliable guides as to the geographic distribution and the proportions of the various varieties of cotton throughout the Cotton Belt.


Estimated percentage of cotton acreage planted to specified varieties, United States, 1956-60

Year	Acala	Coker	Delfos	Deltapine	Empire	Lankart	Northern Star	Rex	Stone- ville	Western Stormproof	Other 1/	Total
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1956	17	13	4	34	5	10	3	-	3	1	10	100
1957	21	12	4	31	5	9	2	-	3	1	13	100
1958	25	10	3	25	6	13	3	*	2	2	11	100
1959	24	8	5	21	3	15	2	2	2	3	15	100
1960	21	8	4	24	4	12	2	4	3	3	15	100


* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

UNITED STATES Districts for Cotton Quality Reports



U S DEPARTMENT OF AGRICULTURE



U.S. DEPARTMENT OF AGRICULTURE

Table 2. North Carolina: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1956-60.

District and State	Ginnings	Coker 100	Coker 124	Delta-pine	Empire	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent
District 1							
1956	76	97	-	1	2	*	100
1957	50	97	-	*	3	*	100
1958	38	96	-	1	3	*	100
1959	78	96	-	*	3	1	100
1960	-	93	-	-	6	1	100
District 2							
1956	157	99	-	1	*	-	100
1957	113	99	*	*	*	1	100
1958	146	97	1	1	1	*	100
1959	144	99	1	*	*	-	100
1960	-	93	3	*	3	1	100
District 3							
1956	133	99	-	*	*	1	100
1957	73	99	*	*	*	1	100
1958	77	97	1	*	1	1	100
1959	114	98	*	*	1	1	100
1960	-	94	-	-	4	2	100
State							
1956	366	98	-	1	1	*	100
1957	236	99	*	*	1	*	100
1958	261	97	1	1	1	*	100
1959	336	99	*	*	1	-	100
1960	-	93	1	*	4	2	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 3. North Carolina: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1960.

District and County	Gins	1959 Ginnings	Coker 100	Dixie King	Empire	Moore Special	Other 1/	Total
	<u>Number</u>	<u>1,000 bales</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
District 1								
Anson	8	8.2	97	-	3	-	-	100
Cabarrus	4	1.4	98	-	2	-	-	100
Catawba	4	.9	59	-	38	-	3	100
Cleveland	22	29.3	100	-	-	-	-	100
Iredell	8	6.6	75	1	24	-	-	100
Lincoln	6	5.7	91	3	3	-	3	100
Mecklenburg	5	4.5	99	-	1	-	-	100
Rowan	3	2.6	67	-	10	23	-	100
Rutherford	5	3.7	89	-	11	-	-	100
Stanley	4	1.5	100	-	-	-	-	100
Union	11	10.0	97	-	3	-	-	100
All Other	5	3.7	71	-	29	-	-	100
Total	85	78.1	93	*	6	1	*	100
			Coker 100	Coker 124	Empire	Wanna-maker	Other 1/	Total
District 2								
Bertie	4	4.0	100	-	-	-	-	100
Chowan	3	2.1	99	-	-	-	1	100
Edgecombe	6	6.6	77	10	13	-	-	100
Franklin	7	7.2	94	6	-	-	-	100
Halifax	16	19.5	93	-	7	-	-	100
Hertford	3	4.6	95	4	-	-	1	100
Johnston	18	17.2	96	2	2	-	-	100
Nash	12	12.6	91	-	1	8	-	100
Northampton	16	18.8	96	-	4	-	-	100
Pitt	5	7.4	90	10	-	-	-	100
Wake	3	3.3	96	-	4	-	-	100
Warren	8	6.7	97	3	-	-	-	100
Wayne	9	11.4	90	1	4	-	5	100
Wilson	7	9.5	93	5	-	2	-	100
All Other	10	13.1	92	6	1	1	-	100
Total	127	144.0	93	3	3	1	*	100
			Coker 100	Dixie King	Empire	Wanna-maker	Other 1/	Total
District 3								
Bladen	3	1.3	100	-	-	-	-	100
Cumberland	6	6.9	100	-	-	-	-	100
Harnet	12	14.5	98	1	-	1	-	100
Hoke	4	6.5	94	2	-	4	-	100
Lee	3	2.4	100	-	-	-	-	100
Richmond	3	1.2	96	-	-	4	-	100
Robeson	22	39.6	88	-	11	1	-	100
Sampson	15	18.1	97	1	1	1	-	100
Scotland	8	14.5	93	4	-	-	3	100
All Other	6	8.7	100	-	-	-	-	100
Total	82	113.7	94	1	4	1	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 4. South Carolina: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1956-60.

District and State	Ginnings 1,000 bales	Coker 100 Percent	Delta- pine Percent	Dixie King Percent	Empire Percent	Wannamaker All-in-one Percent	Other 1/ Percent	Total Percent
District 1								
1956	101	99	•	-	1	-	•	100
1957	69	97	1	•	2	•	•	100
1958	57	95	1	2	1	1	•	100
1959	92	90	•	7	2	1	•	100
1960	-	89	•	7	2	1	1	100
District 2								
1956	279	99	-	-	•	-	1	100
1957	190	98	•	1	1	•	•	100
1958	163	97	-	1	1	-	1	100
1959	220	94	-	3	2	-	1	100
1960	-	87	-	7	4	-	2	100
District 3								
1956	142	99	-	-	•	1	•	100
1957	87	98	•	1	1	•	•	100
1958	82	93	-	5	1	1	•	100
1959	109	89	•	9	1	1	•	100
1960	-	87	•	10	1	1	1	100
State								
1956	522	99	•	-	•	•	1	100
1957	346	98	•	1	1	•	•	100
1958	302	96	•	2	1	•	1	100
1959	421	92	•	5	2	1	•	100
1960	-	87	•	8	3	1	1	100

• Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 5. South Carolina: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1960.

District and County	Gins	1959 Ginnings	Coker 100	Delta-pine	Dixie King	Empire	Wannamaker All-in-One	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
Abbeville	4	6.2	62	-	37	1	-	-	100
Anderson	20	16.3	82	-	17	1	-	*	100
Cherokee	8	5.3	86	3	-	11	-	-	100
Chester	4	3.5	87	-	*	*	-	13	100
Edgefield	6	8.2	92	-	7	1	-	-	100
Fairfield	3	2.1	98	-	1	1	-	-	100
Greenville	12	6.2	95	-	4	-	1	-	100
Greenwood	3	1.5	96	-	4	-	-	-	100
Laurens	10	9.4	92	*	4	-	4	*	100
McGormick	3	1.5	100	-	-	-	-	-	100
Newberry	6	4.8	91	-	*	9	-	-	100
Oconee	3	3.1	100	-	-	-	-	-	100
Pickens	7	2.2	100	-	-	-	-	-	100
Saluda	5	3.0	97	-	2	*	-	1	100
Spartanburg	19	7.8	94	-	-	5	-	1	100
Union	3	1.7	80	-	10	10	-	-	100
York	11	9.2	98	1	1	-	-	-	100
Total	127	92.0	89	*	7	2	1	1	100
District 2									
Chesterfield	11	19.6	86	-	1	7	-	6	100
Clarendon	11	23.5	93	-	5	2	-	-	100
Darlington	9	14.4	97	-	1	-	-	2	100
Dillon	10	17.3	73	4	17	1	1	4	100
Florence	14	26.5	91	*	6	2	1	*	100
Kershaw	4	4.7	66	-	32	2	-	-	100
Lancaster	6	5.5	79	-	2	19	-	-	100
Lee	15	26.7	98	-	1	1	-	-	100
Marion	3	8.0	74	-	3	23	*	-	100
Marlboro	13	27.1	83	6	9	-	-	2	100
Richland	4	2.2	82	-	18	-	-	-	100
Sumter	18	24.7	84	-	8	5	1	2	100
Williamsburg	9	17.6	79	-	8	11	2	-	100
All Other	3	1.5	68	-	16	16	-	-	100
Total	130	219.3	87	1	7	4	*	1	100
District 3									
Aiken	8	9.0	92	6	2	-	-	-	100
Allendale	3	5.9	78	18	-	3	-	1	100
Bamberg	4	8.5	91	5	-	4	-	-	100
Barnwell	7	8.7	82	17	-	1	-	-	100
Calhoun	6	8.7	72	9	1	-	17	1	100
Colleton	4	3.2	84	12	-	4	-	-	100
Dorchester	4	6.6	93	7	-	-	-	-	100
Hampton	6	7.7	88	10	2	-	-	-	100
Lexington	6	5.3	96	4	-	-	-	-	100
Orangeburg	29	42.2	86	11	2	1	-	*	100
All Other	2	3.5	100	-	-	-	-	-	100
Total	79	109.3	87	10	1	1	1	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 6. Georgia: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1956-60

District and State	Ginnings	Coker 100	Delta-pine	Dixie King	Empire	Plains	Stone-ville	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
1956	199	57	7	-	33	*	1	2	100
1957	116	57	7	*	35	*	1	*	100
1958	85	57	7	*	35	*	-	1	100
1959	175	64	4	1	31	*	*	*	100
1960	-	50	3	7	37	*	*	3	100
District 2									
1956	231	47	14	-	29	7	1	2	100
1957	172	42	13	-	30	13	*	2	100
1958	160	46	10	*	31	10	*	3	100
1959	201	48	8	1	26	15	1	1	100
1960	-	47	7	3	29	11	1	2	100
District 3									
1956	149	69	6	-	17	1	1	6	100
1957	101	68	4	-	23	2	1	2	100
1958	104	71	3	1	20	2	1	2	100
1959	145	66	3	3	18	2	1	7	100
1960	-	63	1	9	23	1	-	3	100
State									
1956	579	57	9	-	28	3	1	2	100
1957	389	53	9	*	30	6	1	1	100
1958	349	57	7	*	29	5	*	2	100
1959	521	58	6	1	25	7	1	2	100
1960	-	52	4	6	30	5	*	3	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 7. Georgia: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1960.

District and County	Gins	1959 Ginnings	Coker 100	DeKalb 108	Delta-pine	Dixie King	Empire	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
Barrow	3	5.3	28	-	-	-	72	-	100
Bartow	9	17.8	64	-	-	-	34	2	100
Carroll	8	4.5	62	-	-	-	38	-	100
Coweta	5	5.1	13	-	-	30	57	-	100
Floyd	5	5.8	61	-	2	2	31	4	100
Franklin	6	5.1	47	-	2	1	50	-	100
Gordon	5	8.9	31	-	-	1	68	-	100
Gwinnett	4	1.7	51	-	1	-	48	-	100
Hancock	3	5.5	14	-	2	17	66	1	100
Hart	6	7.4	56	-	1	4	39	-	100
Henry	4	4.8	58	-	10	5	27	-	100
Jackson	8	5.1	55	-	-	-	45	-	100
Jasper	3	2.5	64	-	-	-	34	2	100
McDuffie	3	3.5	63	-	9	11	14	3	100
Madison	5	7.4	68	28	-	-	4	-	100
Meriwether	6	6.8	62	-	22	8	8	-	100
Morgan	7	8.1	36	-	-	45	18	1	100
Newton	3	2.2	90	-	4	-	6	-	100
Pike	3	4.3	62	-	-	-	38	-	100
Polk	3	5.2	35	-	2	-	63	-	100
Walton	9	12.7	59	21	8	9	3	-	100
Wilkes	3	1.9	78	-	-	1	20	1	100
All Other	30	43.0	44	-	1	7	46	2	100
Total	141	174.6	50	3	3	7	37	*	100

Coker 100	Delta-pine	Dixie King	Empire	Plains	Other 1/	Total
-----------	------------	------------	--------	--------	----------	-------

District 2									
Bleckley	3	3.3	73	14	-	2	5	6	100
Brooks	4	6.9	53	6	2	27	12	-	100
Calhoun	3	6.5	66	1	2	13	2	16	100
Colquitt	9	19.6	26	2	1	37	30	4	100
Crisp	4	10.1	40	3	8	16	28	5	100
Dodge	5	5.9	58	2	*	36	4	-	100
Dooly	8	13.8	51	26	4	10	2	7	100
Irwin	3	5.9	18	-	-	82	-	-	100
Macon	5	7.8	72	4	3	9	-	12	100
Mitchell	4	8.2	66	1	8	21	4	-	100
Pulaski	4	8.7	40	20	15	14	11	-	100
Sumter	4	8.5	40	38	-	-	22	*	100
Taylor	5	8.3	36	-	2	62	-	-	100
Terrell	5	10.0	69	-	-	10	6	15	100
Thomas	3	4.6	64	-	-	15	21	*	100
Tift	4	7.5	50	-	4	29	17	-	100
Turner	4	7.4	30	10	1	47	12	-	100
Wilcox	4	6.0	54	-	4	31	10	1	100
Worth	5	7.4	32	2	*	62	4	-	100
All Other	34	45.3	47	5	1	33	9	5	100
Total	120	201.7	47	7	3	29	11	3	100

Coker 100	Delta-pine	Dixie King	Empire	Plains	Other 1/	Total
-----------	------------	------------	--------	--------	----------	-------

District 3									
Bulloch	4	11.3	66	-	12	20	-	2	100
Burke	13	25.5	67	-	13	20	-	-	100
Candler	3	6.0	59	-	2	36	-	3	100
Emanuel	5	8.4	53	-	8	38	-	1	100
Jefferson	7	11.5	54	-	9	37	-	-	100
Johnson	4	8.7	82	-	-	17	-	1	100
Laurens	7	14.8	48	6	15	20	11	-	100
Screven	4	10.9	57	-	23	20	-	-	100
Toombs	4	6.6	53	1	2	21	1	22	100
Washington	5	9.3	93	2	-	3	-	2	100
All Other	21	31.7	65	*	3	29	*	3	100
Total	77	144.7	63	1	9	23	1	3	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 8. Alabama: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1956-60.

District and State	Ginnings	Auburn 56	Coker 100	Delta-pine	Dixie King	Empire	Fox	Plains	Stoneville	Other ^{1/}	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
1956	376	-	17	27	-	33	2	12	7	2	100
1957	268	•	16	27	•	35	2	10	7	3	100
1958	220	•	11	25	1	42	2	9	7	3	100
1959	406	1	11	20	11	40	2	11	4	-	100
1960	-	•	11	14	18	44	1	7	2	3	100
District 2											
1956	230	•	57	27	-	7	1	5	•	3	100
1957	160	1	52	28	1	7	•	9	1	1	100
1958	136	2	51	26	4	7	1	7	•	2	100
1959	180	4	50	18	13	5	•	8	•	2	100
1960	-	10	42	11	21	9	-	6	•	1	100
District 3											
1956	140	•	61	7	-	4	-	20	•	8	100
1957	99	1	51	6	•	8	•	24	•	10	100
1958	86	3	59	2	-	5	-	23	•	8	100
1959	129	2	53	2	1	7	-	26	-	9	100
1960	-	14	52	2	1	5	-	20	-	6	100
State											
1956	746	•	39	23	-	19	1	12	3	3	100
1957	527	1	34	24	•	21	1	12	4	3	100
1958	442	1	33	21	2	26	1	11	4	1	100
1959	715	2	31	16	9	23	1	13	2	3	100
1960	-	6	26	11	16	28	1	9	1	2	100

• Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

Table 9. Alabama: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1960.

District and County	Gins	1959 Ginnings	Coker 100	Delta-pine	Dixie King	Empire	Fox	Plains	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Blount	11	10.7	23	1	19	50	-	6	1	-	100
Cherokee	15	22.5	13	3	7	45	1	23	7	1	100
Colbert	9	17.8	-	65	24	4	-	2	-	5	100
Cullman	26	29.7	5	11	11	37	-	29	5	2	100
De Kalb	28	43.7	20	-	48	26	-	*	-	6	100
Etowah	10	9.7	28	1	17	35	-	17	2	-	100
Franklin	7	13.2	2	48	19	18	8	2	3	-	100
Jackson	14	21.3	4	19	18	51	-	5	2	1	100
Lauderdale	16	22.1	-	36	10	50	-	1	-	3	100
Lawrence	15	36.0	-	23	25	31	-	-	5	16	100
Limestone	20	50.7	-	9	-	91	-	-	-	-	100
Madison	25	56.4	26	4	16	49	3	-	-	2	100
Marion	9	8.2	3	47	8	21	4	9	2	6	100
Marshall	23	33.3	29	-	27	17	-	17	8	2	100
Morgan	20	27.0	3	14	10	60	-	10	-	3	100
Winston	3	3.8	2	24	29	45	-	-	-	-	100
Total	251	406.3	11	14	18	44	1	7	2	3	100
District 2											
Autauga	5	4.6	45	43	5	1	2	-	4	-	100
Calhoun	7	4.1	7	21	-	1	6	65	-	-	100
Chambers	3	4.7	2	59	8	23	5	3	-	-	100
Chilton	5	5.0	11	66	-	-	14	9	-	-	100
Clay	5	1.8	-	57	-	3	17	18	4	1	100
Dallas	10	18.3	9	55	3	11	20	2	-	-	100
Elmore	6	9.7	3	66	2	28	-	1	-	-	100
Fayette	6	7.5	2	-	4	67	-	27	-	-	100
Hale	8	11.3	3	27	20	23	19	8	-	-	100
Lamar	5	5.8	1	11	16	41	2	7	-	22	100
Lowndes	8	5.3	26	64	-	1	-	9	-	-	100
Macon	7	10.1	17	64	-	19	-	-	-	-	100
Marengo	7	11.0	2	75	9	14	-	-	-	-	100
Montgomery	6	5.9	30	64	1	3	1	1	-	-	100
Perry	5	6.2	6	24	24	30	3	13	-	-	100
Pickens	10	9.6	*	8	52	39	*	1	-	-	100
Randolph	6	5.0	-	66	-	-	29	5	-	-	100
Russell	6	5.9	1	77	2	19	1	-	-	-	100
St. Clair	4	1.6	1	24	23	47	5	-	-	-	100
Shelby	3	5.7	47	5	15	-	33	-	-	-	100
Sumter	9	7.0	4	51	24	19	-	2	-	-	100
Talladega	5	5.5	20	7	6	22	45	-	-	-	100
Tallapoosa	4	3.9	4	73	1	22	-	-	-	-	100
Tuscaloosa	10	9.0	10	3	52	27	5	3	-	*	100
Walker	4	1.5	-	2	-	10	15	72	-	1	100
All Other	12	13.6	11	45	2	28	10	3	1	-	100
Total	166	179.6	10	42	11	21	9	6	*	1	100
District 3											
Barbour	7	7.1	4	77	-	1	6	12	-	-	100
Bullock	3	5.7	10	79	-	-	1	-	10	-	100
Butler	4	3.4	24	45	3	1	1	2	24	-	100
Coffee	6	7.4	5	50	5	1	10	24	2	3	100
Conecuh	4	5.2	15	23	9	21	6	24	2	-	100
Covington	5	9.3	10	49	1	1	3	15	21	-	100
Crenshaw	4	4.5	7	33	2	1	4	44	5	4	100
Dale	3	3.9	2	90	-	-	2	6	-	-	100
Escambia	3	8.2	4	90	-	1	1	3	1	-	100
Geneva	10	17.0	13	35	-	-	4	36	12	-	100
Henry	5	9.4	22	54	-	-	-	15	9	-	100
Houston	8	15.3	22	40	-	-	14	21	3	-	100
Monroe	7	10.8	19	32	6	1	3	38	1	-	100
Pike	8	8.1	34	43	-	-	10	13	-	-	100
Wilcox	7	6.0	3	62	13	2	1	18	1	-	100
All Other	2	7.3	-	83	7	-	-	10	-	-	100
Total	86	128.6	14	52	2	1	5	20	6	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 10. Mississippi: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1956-60.

District and State	Ginnings 1,000 bales	Coker 100 Percent	Delfos Percent	Delta- pine Percent	DPL Smooth Leaf Percent	Dixie King Percent	Empire Percent	Fax Percent	Stone- ville Percent	Other 1/ Percent	Total Percent
District 1											
1956	894	2	6	81	-	*	*	5	1	5	100
1957	664	4	7	75	-	2	-	7	1	4	100
1958	615	6	5	79	*	1	-	5	2	2	100
1959	1,016	3	9	70	3	3	*	5	3	4	100
1960	-	2	6	34	31	1	-	11	8	7	100
District 2											
1956	370	4	1	76	-	-	3	1	9	6	100
1957	213	4	2	75	-	-	5	1	10	3	100
1958	223	5	2	78	*	*	4	*	8	3	100
1959	335	*	*	74	1	3	4	2	8	8	100
1960	-	1	1	68	4	5	2	1	7	11	100
District 3											
1956	196	10	*	80	-	-	6	1	2	1	100
1957	123	9	*	80	-	*	7	1	2	1	100
1958	82	15	*	76	-	*	6	1	2	*	100
1959	141	13	*	75	-	*	5	*	4	3	100
1960	-	12	-	69	3	1	4	1	6	4	100
District 4											
1956	117	12	*	74	-	-	7	2	4	1	100
1957	70	14	*	72	-	-	8	2	4	*	100
1958	35	13	*	74	-	-	8	1	4	*	100
1959	60	15	*	71	-	-	10	1	2	1	100
1960	-	19	-	61	*	1	12	*	3	4	100
State											
1956	1,577	4	4	80	-	-	2	3	3	4	100
1957	1,070	5	4	76	-	1	3	4	5	2	100
1958	955	5	3	79	*	1	2	3	2	5	100
1959	1,552	2	6	71	2	3	2	4	4	6	100
1960	-	3	4	46	21	2	1	7	7	9	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 11. Mississippi: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1960.

District and County	Gins	1959 Ginnings	Coker 100	Delfos	Delta-pine	DPL Smooth Leaf	Dixie King	Fox	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Bolivar	51	157.8	-	2	35	30	-	29	2	2	100
Coahoma	43	118.7	-	-	46	39	-	1	2	12	100
Holmes	19	47.6	6	10	40	10	3	5	18	8	100
Humphreys	16	52.6	1	34	35	26	-	-	-	4	100
Issaquena	3	10.2	17	2	15	22	-	36	-	8	100
Leflore	31	100.1	7	2	26	37	-	-	17	11	100
Quitman	23	60.1	-	1	52	14	-	15	5	13	100
Sharkey	13	36.4	5	17	2	22	-	28	24	2	100
Sunflower	39	146.7	1	-	47	37	8	4	-	3	100
Tallahatchie	26	64.1	2	2	67	16	-	2	2	9	100
Tunica	20	52.9	9	-	30	57	-	-	-	4	100
Washington	41	116.0	-	6	6	35	-	23	26	4	100
Yazoo	13	49.0	3	37	27	13	1	-	12	7	100
All Other	2	4.9	-	-	30	50	-	5	-	15	100
Total	340	1,017.1	2	6	34	31	1	11	8	7	100
District 2											
Alcorn	5	12.1	54	-	29	-	5	2	7	3	100
Benton	5	8.9	44	-	-	12	-	19	23	2	100
Calhoun	8	12.1	64	-	-	-	-	-	35	1	100
Chiokasaw	9	13.8	88	-	2	-	1	-	5	4	100
De Soto	15	37.0	64	12	4	2	-	6	7	5	100
Grenada	5	11.0	86	-	-	2	-	-	3	9	100
Itawamba	6	5.9	45	-	27	-	-	21	3	4	100
Lafayette	4	10.0	82	-	-	-	-	10	3	5	100
Lee	14	18.4	67	2	11	-	-	12	6	2	100
Marshall	16	31.7	62	3	-	8	1	5	14	7	100
Monroe	12	20.3	90	1	4	-	1	-	-	4	100
Panola	21	49.8	74	8	-	-	3	6	7	2	100
Pontotoc	9	13.7	59	-	17	1	-	20	3	-	100
Prentiss	9	14.0	56	-	18	-	1	7	7	11	100
Tate	10	29.5	82	6	-	-	-	8	-	4	100
Tippah	9	17.2	43	2	-	4	2	36	6	7	100
Tishomingo	5	6.5	53	-	25	2	7	-	5	8	100
Union	7	10.3	83	-	-	4	-	-	8	5	100
Yalobusha	3	12.5	57	-	3	-	-	18	7	15	100
Total	172	334.7	68	4	5	2	1	8	7	5	100
District 3											
Attala	7	8.7	20	73	1	-	3	1	1	1	100
Carroll	5	10.5	3	63	21	-	-	-	6	7	100
Clay	6	5.1	4	91	1	3	-	-	1	-	100
Hinds	10	15.3	8	77	-	2	4	2	4	3	100
Kemper	4	1.9	18	77	-	-	3	-	2	-	100
Lauderdale	4	3.0	45	41	-	-	14	-	-	-	100
Leake	6	9.3	34	58	-	-	2	2	-	4	100
Lowndes	7	9.6	8	82	4	-	3	2	-	1	100
Madison	13	22.1	3	70	-	2	4	2	19	-	100
Montgomery	6	6.8	2	83	10	2	-	-	3	-	100
Neshoba	5	10.0	38	38	-	-	12	10	1	1	100
Newton	4	2.0	14	12	-	34	26	-	-	14	100
Noxubee	7	8.8	4	92	-	-	1	-	-	3	100
Rankin	3	5.0	3	74	-	-	2	-	19	2	100
Scott	5	5.4	6	61	-	-	13	15	-	5	100
Webster	5	6.0	1	78	3	-	1	-	17	-	100
Winston	5	9.0	18	69	-	3	8	-	2	-	100
All Other	3	2.0	10	80	4	2	4	-	-	-	100
Total	105	140.5	12	69	3	1	4	2	6	3	100
District 4											
Amite	8	2.5	-	2	95	-	2	-	1	-	100
Copiah	5	4.4	-	18	51	-	16	3	6	6	100
Covington	7	8.0	-	35	38	-	25	-	-	2	100
Jasper	6	3.6	-	20	73	-	6	-	-	1	100
Jefferson Davis	6	2.1	-	10	70	-	13	7	-	-	100
Jefferson	3	9.0	-	-	98	-	-	2	-	-	100
Lawrence	3	2.1	-	8	77	-	7	-	8	-	100
Lincoln	3	1.1	-	5	60	-	11	-	24	-	100
Marion	5	4.6	-	18	57	-	14	-	6	5	100
Simpson	5	4.2	-	12	68	-	16	-	4	-	100
Walthall	4	3.3	2	8	77	-	5	-	5	3	100
Wayne	4	1.4	1	56	31	1	7	-	4	-	100
All Other	16	13.8	3	24	56	2	9	2	2	2	100
Total	75	60.1	1	19	61	1	12	2	3	1	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 12. Tennessee: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1956-60

District and State	Ginnings	Delfos	Delta-pine	DPL Smooth Leaf	Empire	Fox	Rex	Stoneville	Other ^{1/}	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1										
1956	479	1	66	-	17	5	-	6	5	100
1957	375	3	66	-	16	6	-	5	4	100
1958	390	2	67	-	19	4	-	4	4	100
1959	598	2	64	3	20	3	1	3	4	100
1960	-	2	35	22	17	6	8	4	6	100
District 2										
1956	48	-	26	-	45	3	-	4	22	100
1957	29	-	25	-	52	2	-	2	19	100
1958	21	-	26	-	57	3	-	-	14	100
1959	44	-	20	-	67	1	-	1	11	100
1960	-	-	25	3	43	4	8	4	13	100
State										
1956	527	1	63	-	20	5	-	6	5	100
1957	404	3	63	-	19	6	-	4	5	100
1958	411	2	63	-	22	4	-	4	5	100
1959	642	2	62	2	23	3	1	3	4	100
1960	-	2	35	21	19	6	8	4	5	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

Table 13. Tennessee: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1960.

District and County	Gins	1959 Ginnings	Delfos	Delta-pine	DPL Smooth Leaf	Empire	Fox	Rex	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Carroll	14	25.1	1	37	17	40	-	-	1	4	100
Chester	6	11.9	-	50	10	-	1	28	4	7	100
Crockett	12	44.2	1	42	18	21	3	2	8	5	100
Dyer	17	43.0	8	7	51	8	2	7	15	2	100
Fayette	17	37.7	-	24	26	8	-	12	27	3	100
Gibson	20	65.6	-	33	7	46	3	6	1	4	100
Hardeman	12	23.2	-	66	11	18	-	2	1	2	100
Hardin	5	5.2	-	46	-	2	22	24	2	4	100
Haywood	19	50.6	10	31	37	8	1	7	-	6	100
Henderson	14	20.8	-	47	8	-	4	29	7	5	100
Henry	3	4.0	-	25	-	62	-	4	3	6	100
Lake	10	38.6	-	33	46	-	21	-	-	-	100
Lauderdale	19	50.0	3	32	20	11	7	11	-	16	100
McNairy	15	17.6	-	48	1	-	22	26	-	3	100
Madison	19	38.5	-	49	27	14	7	-	-	3	100
Obion	7	14.1	-	1	68	5	11	7	7	1	100
Shelby	19	40.0	-	47	7	8	12	11	-	15	100
Tipton	19	54.1	-	42	12	20	12	10	-	4	100
Weakley	5	10.5	-	13	7	65	-	3	5	7	100
All Other	3	3.1	-	59	2	37	-	-	-	2	100
Total	255	597.8	2	35	22	17	6	8	4	6	100

			Ooker 100WR	Delta-pine	DPL Smooth Leaf	Empire	Fox	Pope	Stone-ville	Other 1/	Total
District 2											
Giles	4	5.3	-	12	-	76	2	3	4	3	100
Lawrence	12	16.5	-	49	-	8	7	6	5	25	100
Lincoln	5	12.5	1	1	4	84	-	-	4	6	100
Rutherford	3	2.2	-	52	-	2	-	46	-	-	100
All Other	6	7.9	7	13	12	53	4	6	-	5	100
Total	30	44.4	2	25	3	43	4	6	4	13	100

Table 14. Missouri: Estimated percentage of cotton acreage planted to specified varieties, 1956-60.


Year	Ginnings	Auburn 56	Delfos	Delta-pine	DPL Smooth Leaf	Fox	Rex	Stone-ville	Other 1/	----	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1956	447	-	29	33	-	21	-	13	4	-	100
1957	183	-	32	29	-	22	-	12	5	-	100
1958	285	1	36	30	-	22	*	8	3	-	100
1959	514	5	35	26	2	18	4	7	3	-	100
1960	-	4	25	16	9	26	13	6	1	-	100

Table 15. Missouri: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1960.

County	Gins	1959 Ginnings	Auburn 56	Delfos	Delta-pine	DPL Smooth Leaf	Fox	Rex	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
County											
Butler	10	20.0	1	16	40	1	9	14	19	-	100
Dunklin	35	113.4	13	30	10	4	15	16	9	3	100
Mississippi	14	41.3	8	11	11	3	43	20	1	3	100
New Madrid	39	132.5	1	41	11	7	29	4	6	1	100
Pemiscot	32	141.1	-	18	29	18	17	14	3	1	100
Scott	10	25.3	8	5	6	10	50	9	9	3	100
Stoddard	12	39.0	-	15	-	8	56	18	1	2	100
All Other	1	1.6	-	5	20	-	5	55	-	15	100
Total	153	514.2	4	25	16	9	26	13	6	1	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



U.S. DEPARTMENT OF AGRICULTURE

Table 16. Arkansas: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1956-60.

District and State	Ginnings	Delfos	Delta-pine	DPL Smooth Leaf	Empire	Fox	Rex	Rowden	Stoneville	Other ^{1/}	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
1956	48	2	59	-	7	•	-	1	1	30	100
1957	22	•	56	-	6	•	-	1	2	35	100
1958	17	4	58	-	11	•	1	-	•	26	100
1959	33	-	52	-	6	5	18	-	•	19	100
1960	-	-	52	3	5	1	31	•	-	8	100
District 2											
1956	802	13	73	-	5	4	-	•	3	2	100
1957	516	20	67	-	5	5	-	-	1	2	100
1958	515	16	60	-	6	5	6	-	4	3	100
1959	911	22	53	•	4	4	13	-	2	2	100
1960	-	18	29	10	3	5	31	-	2	2	100
District 3											
1956	92	2	70	-	2	1	-	8	10	7	100
1957	65	2	79	-	2	-	-	6	6	5	100
1958	49	3	85	-	1	1	•	2	3	5	100
1959	89	5	61	2	2	-	8	4	14	4	100
1960	-	4	51	12	2	•	15	1	9	6	100
District 4											
1956	457	18	66	-	2	2	-	•	8	4	100
1957	362	26	62	-	1	1	-	•	7	3	100
1958	343	25	66	-	•	1	2	-	3	3	100
1959	501	43	42	•	1	1	8	•	2	3	100
1960	-	26	40	11	•	3	13	-	2	5	100
State											
1956	1,399	13	69	-	4	3	-	1	5	5	100
1957	965	20	66	-	3	3	-	•	3	5	100
1958	924	18	63	-	4	3	4	•	3	5	100
1959	1,534	28	50	•	3	3	11	•	3	2	100
1960	-	19	34	11	2	4	24	•	2	4	100

• Less than 0.5 percent.


^{1/} Includes small acreages planted to varieties other than those specified.

Table 17. Arkansas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1960.

District and County	Gins	1959 Ginnings	Delta-pine	DPL Smooth Leaf	Empire	Fox	Hibred and Half & Half	Rex	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1										
Faulkner	3	5.9	63	-	8	-	7	19	3	100
White	10	10.0	28	-	5	-	10	56	1	100
Yell	3	9.3	78	5	-	2	-	12	3	100
All Other	10	7.4	48	4	8	2	6	29	3	100
Total	26	32.6	52	3	5	1	6	31	2	100
			Delfos	Delta-pine	DPL Smooth Leaf	Empire	Fox	Rex	Other 1/	Total
District 2										
Clay	21	47.1	51	9	3	15	4	15	3	100
Craighead	32	112.1	50	14	5	-	-	24	7	100
Crittenden	44	104.2	-	52	9	2	7	28	2	100
Cross	21	42.6	2	19	18	-	6	55	-	100
Greene	15	41.3	30	11	1	8	3	39	8	100
Jackson	18	54.7	-	10	2	5	-	76	7	100
Lawrence	9	20.3	2	17	-	48	-	29	4	100
Mississippi	65	246.0	9	29	9	-	12	34	7	100
Poinsett	26	112.6	28	29	19	-	-	20	4	100
Randolph	7	13.4	18	20	8	9	-	44	1	100
St. Francis	29	78.3	18	51	11	1	2	15	2	100
Woodruff	13	39.6	-	48	38	-	-	12	2	100
Total	300	912.2	18	29	10	3	5	31	4	100
			Delfos	Delta-pine	DPL Smooth Leaf	Empire	Rex	Stone-ville	Other 1/	Total
District 3										
Ashley	10	33.6	-	49	15	-	7	21	8	100
Columbia	4	3.1	-	16	-	17	62	-	5	100
Drew	5	12.1	29	30	23	-	9	2	7	100
Hempstead	8	3.8	-	53	-	-	27	-	20	100
Lafayette	5	12.1	-	75	13	-	9	-	3	100
Little River	3	3.2	-	63	25	-	7	-	5	100
Miller	4	6.0	-	83	7	-	3	-	7	100
All Other	13	14.7	1	42	*	6	36	3	12	100
Total	52	88.6	4	51	12	2	15	9	7	100
			Delfos	Delta-pine	DPL Smooth Leaf	Fox	Rex	Stone-ville	Other 1/	Total
District 4										
Arkansas	6	9.5	-	60	7	4	20	4	5	100
Chicot	11	40.9	21	47	21	2	5	-	4	100
Desha	14	53.2	52	24	11	3	-	5	5	100
Jefferson	34	77.0	21	38	26	4	5	-	6	100
Lee	19	72.7	5	42	4	2	37	7	3	100
Lincoln	11	37.5	10	39	32	8	1	-	10	100
Loneka	21	63.0	86	5	4	-	1	-	4	100
Monroe	12	39.5	3	73	6	1	10	2	5	100
Phillips	39	90.5	8	57	1	4	23	2	5	100
Prairie	3	6.8	15	79	-	-	4	-	2	100
Pulaski	12	10.3	51	14	2	-	31	-	2	100
Total	182	500.9	26	40	11	3	13	2	5	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



U.S. DEPARTMENT OF AGRICULTURE

Table 18. Louisiana: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1956-60

District and State	Ginnings 1,000 bales	Coker 100 Percent	Delta- pine Percent	DPL Smooth Leaf Percent	Fox Percent	Stone- ville Percent	Other 1/ Percent	Total Percent
District 1								
1956	103	1	96	-	•	•	3	100
1957	78	1	93	-	-	•	6	100
1958	72	-	95	-	-	-	5	100
1959	133	•	92	-	1	-	7	100
1960	-	2	84	5	•	•	9	100
District 2								
1956	15	6	86	-	-	•	8	100
1957	8	5	92	-	-	•	3	100
1958	3	5	87	-	-	-	8	100
1959	3	2	80	-	-	-	18	100
1960	-	7	58	-	-	-	35	100
District 3								
1956	286	•	95	-	2	•	3	100
1957	186	1	91	-	2	2	4	100
1958	153	2	92	-	1	2	3	100
1959	260	1	91	-	2	1	5	100
1960	-	-	82	11	2	2	3	100
District 4								
1956	166	•	90	-	2	7	1	100
1957	74	•	85	-	•	13	2	100
1958	65	1	87	-	-	11	1	100
1959	91	•	89	-	•	10	1	100
1960	-	1	90	•	1	7	1	100
State								
1956	570	1	94	-	1	2	2	100
1957	346	1	90	-	1	5	3	100
1958	293	1	92	-	1	3	3	100
1959	487	1	90	-	1	3	5	100
1960	-	1	84	7	1	2	5	100

• Less than 0.5 percent.


1/ Includes small acreages planted to varieties other than those specified.

Table 19. Louisiana: Estimated percentage of cotton acreage planted to specified varieties, by parishes and districts, crop of 1960.

District and Parish	Gins	1959 Ginnings	Auburn 56	Coker 100	Delta-pine	DPL Smooth Leaf	Rex	Stardel	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1										
Bossier	8	22.4	-	-	73	6	3	16	2	100
Caddo	13	42.1	-	-	96	1	1	-	2	100
Natchitoches	10	22.8	4	2	73	16	-	-	5	100
Rapides	12	27.6	-	-	86	2	2	1	9	100
Red River	5	10.5	-	14	82	4	-	-	-	100
All Other	4	7.1	14	-	77	8	1	-	*	100
Total	52	132.5	2	2	84	5	1	3	3	100
			Auburn 56	Coker 100	Delta-pine	Empire	Rex	Other 1/	-----	Total
District 2										
Claiborne	3	.9	1	6	91	-	1	1	-	100
All Other	5	2.4	5	7	45	9	34	-	-	100
Total	8	3.3	4	7	58	6	25	*	-	100
			Delfos	Delta-pine	DPL Smooth Leaf	Fox	Rex	Stone-ville	Other 1/	Total
District 3										
Catahoula	5	9.8	-	94	-	1	-	2	3	100
Concordia	5	9.3	-	85	-	-	3	10	2	100
East Carroll	10	33.6	2	36	50	5	-	5	2	100
Franklin	19	42.8	-	87	5	-	2	4	2	100
Madison	7	18.1	-	94	-	3	-	-	3	100
Morehouse	11	36.4	-	78	17	-	-	1	4	100
Ouachita	5	17.0	-	92	1	6	-	-	1	100
Richland	17	43.4	-	96	-	-	-	-	4	100
Tensas	7	20.0	-	86	13	-	-	-	1	100
West Carroll	11	24.7	-	92	1	2	1	2	2	100
All Other	2	5.2	-	68	-	27	-	-	5	100
Total	99	260.3	*	82	11	2	1	2	2	100
			Coker 100	Delta-pine	DPL Smooth Leaf	Fox	Plains	Stone-ville	Other 1/	Total
District 4										
Acadia	4	5.1	-	97	2	-	-	1	-	100
Avoyelles	13	18.5	-	92	-	1	-	5	2	100
Evangeline	12	12.7	-	99	-	-	-	-	1	100
Lafayette	11	12.5	-	98	-	-	-	2	-	100
Pointe Coupee	6	4.7	-	79	-	-	-	15	6	100
St. Landry	26	25.8	-	87	-	2	1	10	-	100
St. Martin	4	3.8	-	50	-	2	8	40	-	100
Washington	4	2.0	20	59	-	-	6	12	3	100
All Other	4	5.7	1	97	-	-	-	2	*	100
Total	84	90.8	1	90	*	1	1	7	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



U.S. DEPARTMENT OF AGRICULTURE

Table 20. Oklahoma: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1956-60.

District and State	Ginnings	Acala	Delta-pine	Hibred and Half & Half	Lankart	Lockett	Northern Star	Parrot	Stoneville	Western Stormproof	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1												
1956	203	-	*	3	49	7	24	3	1	5	8	100
1957	214	*	*	1	49	6	17	7	*	9	11	100
1958	250	1	-	2	59	2	13	7	1	10	5	100
1959	295	5	*	*	54	2	10	8	*	16	5	100
1960	-	1	1	*	48	2	21	7	*	16	4	100
District 2												
1956	31	*	23	1	6	-	7	3	50	-	10	100
1957	16	*	27	2	6	*	4	2	49	-	10	100
1958	22	*	40	3	13	-	5	2	37	-	*	100
1959	38	-	34	2	6	-	3	8	42	*	5	100
1960	-	-	27	*	11	-	8	12	37	*	5	100
District 3												
1956	26	-	21	6	32	1	9	2	23	-	6	100
1957	29	*	35	8	25	1	3	5	19	-	4	100
1958	36	-	22	9	36	3	3	9	16	*	2	100
1959	46	2	17	7	35	4	2	13	15	2	3	100
1960	-	2	14	1	33	12	7	21	6	-	4	100
State												
1956	260	*	7	3	40	5	19	3	12	4	7	100
1957	259	*	7	3	41	5	14	6	8	7	9	100
1958	308	1	5	2	53	2	11	7	5	8	6	100
1959	379	5	5	1	48	2	8	9	5	13	4	100
1960	-	1	5	*	42	3	18	9	5	12	5	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 21. Oklahoma: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1960.

District and County	Gins	1959 Ginnings	Acala	Delta-pine	Lankart	Lockett	Northern Star	Parrot	Western Stormproof	Other ^{1/}	----	Total
		1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1												
Beckham	12	43.7	-	-	15	4	3	1	73	4	-	100
Blaine	6	6.5	1	-	24	3	56	5	7	4	-	100
Caddo	16	29.1	-	2	58	-	15	19	-	6	-	100
Comanche	3	2.5	-	-	15	3	51	26	-	5	-	100
Cotton	3	5.9	-	-	10	5	10	70	-	5	-	100
Custer	4	10.8	4	-	76	3	11	-	3	3	-	100
Greer	9	20.2	-	-	60	4	11	7	17	1	-	100
Harmon	7	25.8	-	-	32	1	54	-	6	7	-	100
Jackson	16	43.6	4	2	32	1	55	1	2	3	-	100
Kiowa	9	25.2	-	1	80	-	17	1	-	1	-	100
Roger Mills	3	7.4	-	-	14	14	2	-	65	5	-	100
Tillman	13	36.0	2	-	63	2	10	19	-	4	-	100
Washita	12	33.9	-	-	82	2	3	1	7	5	-	100
All Other	2	3.5	-	-	30	15	5	5	35	10	-	100
Total	115	294.1	1	1	48	2	21	7	16	4	-	100
District 2												
Canadian	3	4.2	-	-	44	3	28	17	3	5	-	100
Hughes	3	1.6	10	-	-	-	-	85	-	5	-	100
Logan	3	1.2	17	-	24	-	2	52	-	5	-	100
McIntosh	5	3.9	4	1	-	42	6	42	-	5	-	100
Muskogee	10	11.0	45	-	1	4	10	35	-	5	-	100
Pittsburg	3	2.1	33	-	-	-	4	58	-	5	-	100
Wagoner	4	3.7	74	-	4	6	2	9	-	5	-	100
All Other	13	10.7	13	-	16	4	18	44	-	5	-	100
Total	44	38.4	27	*	11	8	12	37	*	5	-	100
District 3												
Bryan	5	7.5	11	-	-	26	5	-	50	-	8	100
Garvin	3	4.0	-	10	-	6	3	18	13	46	4	100
Grady	8	10.7	-	1	-	86	-	-	8	-	5	100
Jefferson	5	4.7	-	-	2	15	25	23	29	2	4	100
All Other	12	19.2	-	32	2	15	20	7	16	3	5	100
Total	33	46.1	2	14	1	33	12	7	21	6	4	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

Table 22. Texas: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1956-60.

District and State	Girmings	Acala	American Egyptian	Blight Master	Delfos	Delta-pine	Empire	Gregg	Lankart	Lockett	Northern Star	Pay-master	Qualla	Rowden	Stone-ville	Storm King	Western Stormproof	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1																			
1956	1,655	3	-	-	-	2	3	-	53	5	11	11	-	-	1	-	3	8	100
1957	1,572	4	-	2	-	1	3	-	47	4	6	17	-	-	-	-	2	14	100
1958	1,999	4	-	1	-	1	3	2	51	2	9	9	-	-	-	2	5	11	100
1959	1,897	6	-	3	-	1	•	10	50	•	2	12	1	-	-	2	4	9	100
1960	-	5	-	1	-	-	1	18	51	1	3	5	-	-	-	•	5	10	100
District 2																			
1956	273	2	-	-	•	7	1	-	28	9	17	2	1	1	-	-	20	12	100
1957	476	2	-	-	-	4	•	-	25	6	21	5	•	-	-	-	23	14	100
1958	536	2	-	-	-	2	•	•	28	4	17	2	4	•	-	4	31	10	100
1959	599	3	-	1	-	2	-	1	28	4	10	2	•	-	-	3	40	6	100
1960	-	1	-	•	•	1	-	4	28	5	13	1	1	-	-	4	36	6	100
District 3																			
1956	9	-	-	-	-	1	-	-	33	8	17	-	11	-	-	-	2	28	100
1957	15	1	-	-	-	6	-	-	26	11	13	1	6	-	-	-	1	35	100
1958	11	-	-	•	-	-	-	-	46	15	7	-	4	-	-	-	-	28	100
1959	12	•	-	1	-	•	-	-	40	12	2	-	•	-	-	7	14	24	100
1960	-	-	-	-	-	-	-	-	52	11	3	-	•	-	-	2	21	11	100
District 4																			
1956	350	•	-	-	-	8	•	-	49	•	11	-	9	14	•	•	-	9	100
1957	411	1	-	-	-	5	•	-	54	•	12	-	11	6	•	1	-	10	100
1958	418	1	-	1	-	3	-	-	56	•	17	-	6	2	•	2	1	11	100
1959	473	•	-	•	-	2	-	-	64	•	13	•	8	1	-	3	•	9	100
1960	-	•	-	•	-	3	-	-	67	2	12	-	4	•	-	3	•	9	100
District 5																			
1956	155	3	-	-	•	61	2	-	3	-	2	-	4	4	1	•	-	20	100
1957	137	-	-	-	-	59	1	-	6	-	2	-	7	4	•	-	-	21	100
1958	96	1	-	2	-	46	2	-	11	-	3	-	5	3	•	-	-	24	100
1959	124	1	-	1	-	63	1	-	8	-	2	•	8	3	•	-	-	13	100
1960	-	•	-	•	-	61	1	-	14	-	5	-	4	1	•	-	-	14	100
District 6																			
1956	299	93	4	-	-	•	-	-	-	-	-	•	-	-	1	-	-	2	100
1957	283	85	12	-	-	•	-	-	-	-	•	-	-	-	1	-	-	2	100
1958	301	85	10	-	-	1	1	-	-	-	-	•	-	-	•	-	-	2	100
1959	291	87	11	-	-	•	-	-	-	-	-	-	-	-	•	-	-	2	100
1960	-	81	17	-	-	1	-	-	-	-	-	-	-	-	•	-	-	1	100
District 7																			
1956	7	3	-	-	-	•	-	-	26	-	4	-	7	5	-	1	40	14	100
1957	16	-	-	-	-	-	3	-	56	-	5	-	10	1	-	-	16	9	100
1958	29	10	-	-	-	-	-	-	49	-	3	-	4	-	-	-	24	10	100
1959	50	8	-	-	-	•	-	-	34	-	•	-	3	•	-	1	39	15	100
1960	-	5	-	-	-	-	-	-	29	-	•	-	6	-	-	-	52	8	100
District 8																			
1956	212	•	-	-	23	17	3	-	15	•	7	-	9	10	5	•	-	11	100
1957	231	2	-	-	15	22	2	-	24	-	11	-	5	7	3	•	-	9	100
1958	265	-	-	•	18	16	2	-	28	-	8	-	7	5	3	1	-	12	100
1959	303	•	-	1	20	14	3	-	28	-	8	-	4	4	3	4	-	11	100
1960	-	•	-	1	12	15	1	-	30	-	8	•	6	1	8	2	-	16	100
District 9																			
1956	153	•	-	-	1	81	3	-	6	-	1	-	•	1	2	-	-	5	100
1957	147	1	-	-	1	81	4	-	4	-	1	-	•	1	1	-	-	6	100
1958	151	1	-	-	•	77	1	-	4	-	1	-	-	1	2	1	-	12	100
1959	151	2	-	-	1	82	2	-	5	-	1	-	•	1	1	-	-	5	100
1960	-	•	-	-	1	80	•	-	8	-	2	-	-	1	2	•	-	6	100
District 10																			
1956	442	2	-	-	3	61	9	-	2	-	2	•	2	1	13	-	-	5	100
1957	313	1	-	-	6	56	6	-	1	-	5	•	1	1	16	•	-	7	100
1958	437	5	-	-	7	53	6	-	2	-	1	•	1	•	17	2	-	6	100
1959	503	4	-	-	9	35	4	-	1	-	3	1	•	•	25	4	-	14	100
1960	-	2	-	-	7	42	3	-	1	-	1	•	1	•	32	4	-	7	100
State																			
1956	3,555	8	•	-	2	19	3	-	31	2	9	4	3	4	2	•	4	9	100
1957	3,601	10	1	1	2	16	3	-	31	2	7	8	2	1	2	•	3	11	100
1958	4,243	9	1	1	2	12	2	1	36	2	9	4	2	1	2	2	6	8	100
1959	4,403	9	1	2	2	11	1	5	35	1	4	5	2	1	3	2	8	8	100
1960	-	8	1	1	2	11	1	8	36	1	5	2	1	•	4	1	7	11	100

• Less than 0.5 percent.
1/ Includes small acreages planted to varieties other than those specified.

Table 23. Texas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1960.

District and County	Gins	1959 Ginnings	Acala 1517	Anton 99	Blight Master	Gregg	Lankart	Lockett	Northern Star	Pay-master	Rex	Western Stormproof	Other 1/	Total
		1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1														
Bailey	21	97.2	-	1	-	36	38	2	12	4	-	-	7	100
Briscoe	5	20.3	-	-	-	37	18	3	17	19	-	4	2	100
Castro	14	33.7	-	-	-	73	10	4	-	8	-	-	5	100
Cochran	13	63.6	-	-	-	58	37	2	-	-	-	-	3	100
Crosby	20	112.1	-	-	2	-	82	-	4	5	-	1	6	100
Dawson	25	138.5	14	-	5	4	30	-	1	2	10	18	16	100
Deaf Smith	3	9.0	-	-	-	84	5	10	-	-	-	-	1	100
Floyd	22	123.7	-	-	1	22	51	-	1	20	-	-	5	100
Gaines	10	48.8	17	-	7	-	25	-	1	2	5	-	43	100
Hale	34	179.2	-	1	1	31	46	1	3	9	-	-	8	100
Hockley	35	180.0	1	7	-	3	74	-	3	1	-	-	11	100
Howard	12	38.7	6	-	8	-	-	-	-	-	-	77	9	100
Lamb	34	174.7	-	1	-	60	21	8	3	5	-	-	2	100
Lubbock	40	211.2	-	-	-	-	91	-	-	-	-	-	9	100
Lynn	26	128.7	-	-	2	-	80	2	1	1	1	5	8	100
Martin	13	66.8	48	-	-	1	4	-	2	-	-	38	7	100
Midland	3	14.8	40	-	-	-	6	-	-	-	-	27	27	100
Parmer	15	40.9	-	-	-	55	3	2	11	18	-	-	11	100
Swisher	11	41.4	-	-	-	34	28	-	-	25	10	-	3	100
Terry	20	132.4	7	1	2	-	72	-	-	3	13	-	2	100
Ysakum	6	31.8	6	-	-	-	85	-	-	5	-	-	4	100
All Other	4	9.6	50	-	-	4	6	1	12	1	4	17	5	100
Total	386	1,897.1	5	1	1	18	51	1	3	5	2	5	8	100
District 2														
Baylor	3	7.5	17	5	-	36	-	-	-	-	-	34	8	100
Childress	5	19.8	-	3	-	36	2	9	-	-	-	46	4	100
Coleman	3	7.0	-	-	-	30	-	12	-	7	-	46	5	100
Collingsworth	9	36.8	-	-	34	10	8	17	-	-	-	27	4	100
Cottle	6	17.5	-	-	2	15	3	76	-	-	-	3	1	100
Dickens	8	27.8	-	-	4	58	-	9	2	-	-	16	11	100
Donley	4	11.0	-	-	12	4	24	12	5	-	-	38	5	100
Fisher	9	42.1	-	-	-	2	-	-	-	-	-	88	10	100
Foard	4	5.9	-	-	-	32	30	26	-	2	6	2	2	100
Garza	6	18.0	-	-	-	26	-	-	-	-	-	60	14	100
Hall	14	46.2	-	-	6	10	12	33	10	-	-	24	5	100
Hardeman	7	15.7	8	-	2	38	13	36	-	-	-	3	-	100
Haskell	12	58.6	-	3	-	21	-	28	-	1	23	17	7	100
Jones	16	58.0	-	-	-	72	-	2	-	1	1	16	8	100
Knox	7	27.0	12	-	-	25	-	2	-	-	25	27	9	100
Mitchell	9	29.9	-	-	-	5	-	2	-	4	-	81	8	100
Motley	5	12.8	-	-	-	50	5	29	7	-	-	-	9	100
Nolan	6	17.0	-	-	-	30	-	-	-	5	-	60	5	100
Runnels	14	39.4	2	-	-	38	-	1	-	5	-	47	7	100
Scurry	9	33.0	2	-	-	8	-	2	-	3	-	76	9	100
Stonewall	3	5.8	1	-	-	58	-	-	-	2	-	31	8	100
Taylor	6	11.5	-	-	-	37	-	-	-	11	-	42	10	100
Wheeler	6	13.7	-	-	-	28	14	15	9	-	-	30	4	100
Wilbarger	10	24.1	1	1	8	37	31	12	-	-	-	7	3	100
All Other	6	13.0	-	-	4	22	8	26	-	-	-	35	5	100
Total	187	599.1	1	1	4	28	5	13	1	1	4	36	6	100
District 3														
Clay	4	1.9	-	45	32	-	-	-	-	23	-	-	-	100
All Other	13	10.1	1	52	7	4	•	3	25	8	-	-	-	100
Total	17	12.0	1	52	11	3	•	2	21	10	-	-	-	100
District 4														
Bell	18	21.6	10	-	-	70	-	10	2	-	-	-	8	100
Collin	21	41.4	-	-	-	70	11	14	1	1	-	-	3	100
Cooke	3	2.9	-	-	-	24	21	51	2	-	-	-	2	100
Coryell	4	6.8	-	-	-	50	-	30	5	-	-	-	15	100
Dallas	5	8.5	-	-	-	94	-	-	-	-	-	-	6	100
Delta	8	16.5	-	40	-	37	-	15	-	5	3	-	-	100
Denton	3	3.4	-	-	-	70	-	26	-	-	-	-	4	100
Ellis	29	49.3	-	-	-	75	-	17	3	-	-	4	1	100
Falls	16	22.0	5	25	-	53	-	5	-	-	-	2	10	100
Fannin	16	21.3	-	-	-	75	-	20	2	1	-	-	2	100
Grayson	7	9.4	-	-	-	44	22	32	-	-	-	-	2	100
Hill	26	34.8	1	-	-	88	-	8	2	-	-	-	1	100
Hunt	18	32.9	-	-	-	75	-	10	3	1	-	6	5	100
Johnson	7	11.7	-	-	-	96	-	2	1	-	-	1	-	100
Kaufman	12	20.3	-	6	-	70	-	9	4	-	-	4	7	100
Lamar	12	16.9	-	2	-	42	-	8	12	36	-	-	-	100
Limestone	7	7.0	4	-	4	28	4	31	8	-	-	-	21	100
McLennan	26	32.5	-	-	-	60	-	12	12	-	-	-	16	100
Milam	13	15.9	7	3	-	59	-	7	2	-	-	14	8	100
Navarro	18	19.0	-	-	-	84	-	7	1	-	-	8	-	100
Rockwall	5	10.1	-	4	-	40	-	-	13	-	-	32	11	100
Tarrant	5	7.3	-	11	-	72	-	8	4	-	1	2	2	100
Williamson	31	54.5	12	-	-	55	-	12	11	-	-	1	9	100
All Other	4	7.0	-	-	-	80	-	4	8	-	-	-	8	100
Total	314	473.0	2	3	•	67	2	12	4	2	•	3	5	100

* Less than 0.5 percent.

1/ Include small acreages planted to varieties other than those specified.

Table 23. Texas: Estimated percentages of cotton acreage planted to specified varieties, by countise and districts, crop of 1960 - continued.

District and County	Gins	1959 Ginnings	Acala 1517	Delta-pine	Empire	Hibred and Half & Half	Lankart	Northern Star	Qualla	Rex	Rowden	Stone-ville	Other 1/	Total
		1,000												
	Number	bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 5														
Bowie	3	6.0	-	99	1	-	-	-	-	-	-	-	-	100
Brazos	6	18.5	-	99	-	-	-	-	-	-	-	-	1	100
Cherokees	3	2.6	-	5	-	20	73	-	-	1	-	-	1	100
Freestone	3	3.5	-	-	-	10	1	69	20	-	-	-	-	100
Grimes	6	10.1	-	75	-	-	-	14	3	-	-	-	8	100
Harrison	4	2.0	1	97	-	1	-	-	-	-	-	-	1	100
Hopkins	4	5.9	-	-	-	-	90	-	10	-	-	-	-	100
Houston	6	8.2	-	53	-	3	3	-	18	8	-	-	15	100
Leon	3	3.1	-	71	-	-	-	-	2	4	16	-	7	100
Red River	5	5.8	-	4	-	-	45	6	10	35	-	-	-	100
Robertson	9	28.0	-	92	-	-	-	-	-	-	-	-	8	100
Rusk	3	2.5	-	54	-	46	-	-	-	-	-	-	-	100
Shelby	3	1.3	-	54	-	8	-	38	-	-	-	-	-	100
Smith	3	.4	-	40	-	36	-	24	-	-	-	-	-	100
Van Zandt	4	5.0	-	-	-	-	73	-	7	-	2	-	18	100
Walker	3	1.2	-	40	-	-	-	-	5	-	-	-	55	100
Waller	3	3.1	-	81	-	-	-	-	-	12	-	-	7	100
All Other	22	17.3	-	39	4	7	18	5	1	2	1	1	22	100
Total	93	124.5	*	61	1	3	14	5	4	3	1	*	8	100
			Acala 44	Acala 1517B	Acala 1517C	Coker Wilds	Delta-pine	Mesa Acala	Pima S-1	Stone-ville	Other 1/	----	----	Total
District 6														
El Paso	22	86.7	2	-	66	-	-	-	32	-	-	-	-	100
Hudspeth	6	33.4	-	-	95	-	-	-	5	-	-	-	-	100
Pecos	9	47.4	-	28	69	-	1	-	-	2	-	-	-	100
Reeves	22	104.9	-	25	58	-	2	-	14	*	1	-	-	100
All Other	4	19.0	-	38	54	*	5	1	-	-	2	-	-	100
Total	63	291.4	1	15	65	*	1	*	17	*	1	-	-	100
			Acala 1517	Lankart	Northern Star	Qualla	Western Stormproof	Other 1/	----	----	----	----	----	Total
District 7														
McGulloch	5	5.4	-	-	3	2	89	6	-	-	-	-	-	100
Tom Green	7	28.5	5	36	-	7	44	8	-	-	-	-	-	100
All Other	6	15.7	5	27	-	5	56	7	-	-	-	-	-	100
Total	18	49.6	5	29	*	6	52	8	-	-	-	-	-	100
			Anton	Delfos	Delta-pine	Empire	Lankart	Northern Star	Qualla	Rowden	Stone-vills	Storm King	Other 1/	Total
District 8														
Austin	12	11.9	-	-	66	1	-	4	5	11	2	-	11	100
Bastrop	3	4.1	34	-	10	-	33	-	15	-	-	-	8	100
Bee	4	6.2	-	2	-	-	42	-	8	-	8	27	13	100
Burleson	9	22.7	-	-	95	-	-	1	-	-	-	-	4	100
Caldwell	6	10.2	67	-	-	-	2	-	11	-	-	-	20	100
Colorado	3	8.0	9	-	37	6	9	-	-	-	32	-	7	100
De Witt	4	4.3	1	-	2	-	55	22	10	-	-	-	10	100
Fayette	12	14.4	15	-	10	3	38	-	23	1	1	3	6	100
Guadalupe	5	7.4	-	-	-	-	2	-	71	-	-	-	27	100
Hays	4	5.4	37	-	-	-	43	-	-	-	-	8	12	100
Karnes	6	9.0	5	-	1	-	62	4	-	-	-	11	17	100
Lavaca	11	18.7	4	-	4	8	58	-	7	4	4	5	6	100
Lee	3	4.6	4	-	6	-	25	6	35	6	-	-	18	100
Musces	29	74.5	-	44	1	1	5	20	-	-	20	-	9	100
Refugio	4	8.2	-	-	19	-	24	29	-	-	22	-	6	100
San Patricio	22	63.6	-	3	1	1	78	5	-	-	4	3	5	100
Travis	10	11.4	43	-	8	-	20	-	8	-	-	2	19	100
Washington	12	10.8	-	12	39	-	4	4	20	4	-	-	17	100
All Other	4	7.3	-	-	14	-	11	-	4	16	-	2	53	100
Total	163	302.7	6	12	15	1	30	8	6	1	8	2	11	100
			Acala	Delfos	Delta-pine	Empire	Lankart	Northern Star	Rex	Rowden	Stone-ville	Storm King	Other 1/	Total
District 9														
Brazoria	6	9.1	-	-	85	-	5	-	-	-	4	-	6	100
Calhoun	5	11.6	-	-	95	-	-	-	-	-	-	-	5	100
Fort Bend	17	43.7	-	2	84	1	1	-	-	2	2	-	8	100
Jackson	6	11.2	-	-	85	-	1	-	-	-	-	2	12	100
Matagorda	7	9.7	2	-	87	-	-	-	1	-	5	-	5	100
Victoria	8	14.8	-	-	5	-	75	17	1	-	-	-	2	100
Wharton	20	47.2	-	-	91	-	-	-	-	-	4	-	5	100
All Other	1	3.5	-	-	75	10	-	-	-	10	-	-	5	100
Total	70	150.8	*	1	80	*	8	2	*	1	2	*	6	100
			Acala	Delfos	Delta-pine	Empire	Lankart	Northern Star	Qualla	Rex	Stone-ville	Storm King	Other 1/	Total
District 10														
Camaren	38	144.9	-	14	45	6	1	1	*	1	21	5	6	100
Frio	3	5.0	-	-	86	6	-	-	-	-	-	-	8	100
Hidalgo	38	200.4	4	7	38	2	-	1	-	2	39	1	6	100
Jim Wells	4	10.0	-	3	2	-	43	26	3	-	14	3	6	100
Live Oak	3	1.9	-	-	-	-	30	-	15	-	-	25	30	100
Starr	4	9.2	-	5	16	-	-	10	11	4	35	11	8	100
Willacy	19	112.1	-	1	45	-	-	-	-	-	45	6	3	100
Zavala	4	10.8	-	-	71	-	-	-	-	-	-	-	29	100
All Other	8	8.6	-	-	60	3	-	1	7	-	-	-	29	100
Total	121	502.9	2	7	42	3	1	1	1	1	32	4	6	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 24. Other Southeastern and South Central States: Estimated percentage of cotton acreage planted to specified varieties, by states, 1956-60.

State and Year	Ginnings	Coker	Delfos	Delta-pine	DPL Smooth Leaf	Empire	Fox	Plains	Rex	Sealand and Coastland	Stoneville	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Virginia													
1956	11	98	-	2	-	-	-	-	-	-	-	-	100
1957	7	98	-	1	-	1	-	-	-	-	-	-	100
1958	8	97	-	1	-	2	-	-	-	-	-	-	100
1959	11	95	-	*	-	5	-	-	-	-	-	-	100
1960	-	87	-	-	-	13	-	-	-	-	-	-	100
Florida													
1956	9	63	-	3	-	2	-	14	-	2	-	16	100
1957	7	67	-	7	-	5	1	11	-	1	-	8	100
1958	6	55	-	2	-	14	-	13	-	2	-	14	100
1959	9	62	-	2	-	15	-	13	-	1	-	7	100
1960	-	39	-	2	-	17	-	23	-	*	-	19	100
Kentucky													
1956	8	-	-	87	-	-	13	-	-	-	-	-	100
1957	4	-	-	93	-	-	7	-	-	-	*	-	100
1958	4	-	-	83	-	-	17	-	-	-	-	-	100
1959	8	-	2	82	-	-	13	-	-	-	2	1	100
1960	-	-	-	46	28	-	14	-	8	-	-	4	100
Illinois													
1956	3	-	4	4	-	35	40	-	-	-	17	-	100
1957	1	-	11	2	-	-	74	-	-	-	*	13	100
1958	1	-	5	-	-	43	52	-	-	-	-	-	100
1959	1	-	-	-	-	38	62	-	-	-	-	-	100
1960	-	-	-	-	-	30	48	-	22	-	-	-	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 25. Western Area: Estimated percentage of cotton acreage planted to specified varieties, by states, 1956-60.

State and Year	Ginnings	Acala 4-42	Acala 44	Acala 1517-C	Delta-pine	Lankart	Paymaster	Pima 32	Pima S-1	Stoneville	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona												
1956	823	6	83	4	-	-	-	-	4	-	3	100
1957	754	4	81	4	-	-	-	-	6	-	5	100
1958	737	7	80	5	*	-	-	-	6	-	2	100
1959	720	6	81	7	*	-	-	-	5	-	1	100
1960	-	13	49	9	15	-	-	-	6	*	8	100
California												
1956	1,466	97	1	-	2	-	-	-	-	-	-	100
1957	1,557	96	1	-	3	-	-	-	-	-	-	100
1958	1,624	94	1	-	5	-	-	-	-	-	-	100
1959	1,947	92	*	-	7	-	-	-	-	-	1	100
1960	-	93	1	*	6	-	-	-	-	*	*	100
Nevada												
1956	-	-	-	-	-	-	-	-	-	-	-	-
1957	-	-	-	-	-	-	-	-	-	-	-	-
1958	-	-	-	-	-	-	-	-	-	-	-	-
1959	-	-	-	-	-	-	-	-	-	-	-	-
1960	5	-	-	100	-	-	-	-	-	-	-	100
New Mexico												
1956	283	-	-	79	1	3	3	1	1	1	11	100
1957	223	-	-	80	*	4	4	-	2	1	9	100
1958	282	-	-	79	*	4	1	*	4	*	12	100
1959	303	-	-	86	*	4	1	*	3	*	6	100
1960	-	-	-	76	*	1	*	*	5	3	15	100
Texas - District 6												
1956	299	-	-	93	*	-	*	1	3	1	2	100
1957	283	-	-	85	*	-	-	1	11	1	2	100
1958	301	-	-	85	1	-	*	*	10	1	3	100
1959	291	*	*	86	*	-	-	*	11	*	3	100
1960	-	-	1	65	1	-	-	-	17	*	16	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table. 26. Western Area: Estimated percentage of cotton acreage planted to specified varieties, by states and counties, crop of 1960.

States and Counties	Gins	1959 Ginnings	Acala 4-42	Acala WR 44	Acala 44	Acala 1517C	Acala 124-68	Delta-pine	Pima S-1	Other 1/	Total
		1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona											
Gochise	6	24.0	-	-	-	100	-	-	-	-	100
Graham	5	28.1	-	-	-	67	-	-	33	-	100
Maricopa	56	300.9	6	4	60	-	*	23	6	1	100
Pima	11	48.5	16	15	21	38	-	3	7	-	100
Pinal	52	252.8	25	8	45	-	3	15	4	-	100
Yuma	11	60.9	8	4	74	-	-	14	-	-	100
All Other	1	4.8	-	-	-	100	-	-	-	-	100
Total	142	720.0	13	6	49	9	1	15	6	1	100
California											
Fresno	77	485.5	100	-	-	-	-	-	-	-	100
Imperial	18	123.6	2	11	1	84	*	1	1	-	100
Kern	65	542.6	100	-	-	-	*	-	-	-	100
Kings	25	251.1	100	-	-	-	-	-	-	-	100
Madera	16	93.4	100	-	-	-	-	-	-	-	100
Merced	10	71.8	100	-	-	-	-	-	-	-	100
Riverside	7	50.0	56	8	-	35	-	-	-	1	100
Tulare	44	329.3	100	-	-	-	-	-	-	-	100
Total	262	1,947.3	93	1	*	6	*	*	*	*	100
New Mexico											
Chaves	14	59.6	7	89	-	-	-	-	1	3	100
Dona Ana	16	79.3	-	80	-	-	-	18	-	2	100
Eddy	12	59.9	6	94	-	-	-	-	-	-	100
Hidalgo	3	10.0	-	100	-	-	-	-	-	-	100
Lea	11	43.8	31	29	17	-	-	-	16	7	100
Luna	5	29.2	-	99	-	-	-	-	-	1	100
Roosevelt	4	13.2	-	-	-	70	12	-	-	18	100
All Other	4	8.3	18	63	-	12	*	-	-	7	100
Total	69	303.3	8	76	2	3	1	5	3	2	100
Texas											
District 6											
El Paso	22	86.7	2	-	66	-	-	32	-	-	100
Hudspeth	6	33.4	-	-	95	-	-	5	-	-	100
Pecos	9	47.4	-	28	69	1	-	-	-	2	100
Reeves	22	104.9	-	25	58	2	-	14	*	1	100
All Other	4	19.0	-	38	54	5	1	-	-	2	100
Total	63	291.4	1	15	65	1	*	17	*	1	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



1022919562